




OEM-APPROVED GSE & TOOLING FOR **V2500 ENGINES** USED ON AIRBUS A320 FAMILY AIRCRAFT

*A global leader in the original design, development,
and manufacture of engine handling solutions!*

CLICK BELOW TO JUMP TO:

- Shipping Stands
- Protective Covers
- Site Transport
- Lifting Slings
- Pedestal Sets
- Shipping Containers

Approved by



Shipping Stand

Engine OEM P/Ns: IAE6R18897, IAE6F10000
AGSE P/N: AM-2228



Low Profile Shipping Stand on a Pallet Loader

Engine OEM P/N: IAE6R19438
AGSE P/N: AM-2805



Lightweight Breakdown Stand

Engine OEM P/N: IAE6F10000
AGSE P/N: AGSE-E035

CLICK ON ANY IMAGE OR PART NUMBER FOR MORE PRODUCT INFORMATION!



OEM-APPROVED FOR V2500 ENGINES SHIPPING STAND FEATURES

**CUSTOM DESIGNED | HIGHLY DURABLE | SAFE & ERGONOMIC
LOW PROFILE & VERSATILE | MANUFACTURED IN-HOUSE
LOWEST TOTAL COST OF OWNERSHIP | SHORTEST LEAD TIMES**

Our reliable & rugged Shipping Stands have been trusted for decades by airlines, aircraft hangars, and engine shops!

All Stands Provide:

- Transport or Storage for engines*
- Bootstrap Capability to simplify on-wing engine removal & installation
- Tie-Down Rings to offer secure retainment during transport


Select Models Feature:

- Forklift Pockets for convenient site transport
- Integrated Shock-Absorbing Mounts to reduce vibrations for engine protection during transport
- Retractable Cradle Support Legs for separate storage from Base
- Low Profile designs to enable height-restricted transport
- Removable Pallets compatible with aircraft cargo loading systems
- Jacking Legs for raising off the ground without the need of a forklift or overhead lifting device

Optional Accessories Include:

- External Shock-Absorbing Mounts for truck transport
- Bumpers to protect the inlet cowl & tail cone

***Operational convenience
from one end to the other!***



*AGSE Shipping Stands are designed and built in compliance with the specifications and requirements of the engine's equipment manufacturer (OEM). The customer is solely responsible for selecting the appropriate packaging based on all information, including the specific application, regulatory compliances, product compatibility, shipping requirements, and documentation issued by the Engine OEM. Any AGSE-referenced shipping information presented in this product literature or other AGSE documentation is for general guidance only. It should be considered a partial set of shipping requirements that can alter, satisfy, or influence regulatory and engine OEM shipping requirements. The content found in AGSE marketing materials and other documentation is subject to change; AGSE accepts no liability for loss or damage resulting from changes, errors, omissions, or misinterpretations of these AGSE publications.

International Aero Engines approves, qualifies, and recommends AGSE GSE & Tooling for safely handling V2500 engines.

www.agsecorp.com | +1.562.906.9300 | sales@agsecorp.com



OEM-APPROVED FOR V2500 ENGINES SHIPPING STANDS & PROTECTIVE COVERS

● = Available Feature

SHIPPING STANDS BY PART NUMBER*

PART NUMBER: <small>Engine OEM AGSE Stanley</small>	FORKLIFT POCKETS	INTEGRATED SHOCK MOUNTS	CRADLE SUPPORT LEGS	LOW PROFILE	REMOVABLE PALLET	JACKING LEGS	OPTIONAL ACCESSORIES		COMPATIBLE WITH OTHER EQUIPMENT
							BUMPERS	EXTERNAL SHOCK MOUNTS	
IAE6R18897, IAE6F10000 AM-2228	●	●	●				●		AGSE-E029 (Pneumatic Tire Axle Option) AGSE-E031 (Pneumatic Tire Dolly)
IAE6R198814 AM-2805M2				●	●	●		●	AGSE-L012 (Lifting Sling)
IAE6R19438 AM-2805	●			●	●			●	
IAE6R18889 114800†	●	●	●						
IAE6F10000 AM-2689	●	●	●				●		

A Shipping Stand comprises a Cradle & Base.

†Accommodates V2500-A5 engine only.

PROTECTIVE COVERS

Dependable and lasting defense against dirt, water, and contamination!

PART NUMBER: <small>Engine OEM AGSE</small>	ACCOMMODATES:		MOISTURE VAPOR PROOF (MVP)	WATER VAPOR RESISTANT (WVR)
	NOSE COWL	COMMON NOZZLE ASSEMBLY (CNA)		
IAE6R19563 AGSE-V107-G01			●	
IAE6R19562 AGSE-V107-G02	●	●	●	
IAE6R19564 AGSE-V107-G03	●	●		●
IAE6R19565 AGSE-V107-G04				●

*AGSE Shipping Stands are designed and built in compliance with the specifications and requirements of the engine's equipment manufacturer (OEM). The customer is solely responsible for selecting the appropriate packaging based on all information, including the specific application, regulatory compliances, product compatibility, shipping requirements, and documentation issued by the Engine OEM. Any AGSE-referenced shipping information presented in this product literature or other AGSE documentation is for general guidance only. It should be considered a partial set of shipping requirements that can alter, satisfy, or influence regulatory and engine OEM shipping requirements. The content found in AGSE marketing materials and other documentation is subject to change; AGSE accepts no liability for loss or damage resulting from changes, errors, omissions, or misinterpretations of these AGSE publications.

International Aero Engines approves, qualifies, and recommends AGSE GSE & Tooling for safely handling V2500 engines.

www.agsecorp.com | +1.562.906.9300 | sales@agsecorp.com





OEM-APPROVED FOR V2500 ENGINES ADDITIONAL GSE & TOOLING

● = Available Feature

SITE TRANSPORT

Exceptional engine transport within a facility or between local sites!

PART NUMBER: Engine OEM AGSE	DESCRIPTION	COMPATIBLE WITH OTHER EQUIPMENT	DISASSEMBLES/ FOLDS	BOOTSTRAP CAPABLE	LOOSE HARDWARE STORAGE CONTAINER	TOW BAR
IAE6F10000 AGSE-E035	Light Weight Breakdown Stand		●	●	●	●
AGSE-E031	Pneumatic Tire Dolly	AM-2228 (Cradle)				●
IAE6R18897 AGSE-E029	Pneumatic Tire Axle Option	AM-2228 (Base)				●

LIFTING SLINGS

Stable and versatile overhead support for horizontal build-up or Shipping Stand transfer!

PART NUMBER: AGSE	COMPATIBLE WITH OTHER EQUIPMENT	MAXIMUM LOAD CAPACITY	CENTER OF GRAVITY ADJUSTMENT FEATURE	TWO (2) SPREADER BEAMS	FORKLIFT POCKETS	OTHER ENGINES ACCOMMODATED
AGSE-L012	AM-2805M2 (Shipping Stand)	16,000 lbs 7,257 kg	Lifting Shackle	●		CF6, CFM56, PW4000, RB211
AM-2106		12,000 lbs 5,443 kg	Hand Wheel		●	CF6, CFM56, PW2000, PW4000, RB211

PEDESTAL SETS

Another ideal horizontal build-up solution to achieve ergonomically efficient engine centerline heights!

PART NUMBER: AGSE	NUMBER OF PEDESTALS	PEDESTAL FRAME	MAXIMUM LOAD CAPACITY	ACHIEVES ENGINE CENTERLINE HEIGHT OF:	SITE TRANSPORT ACCOMMODATION	OTHER ENGINES ACCOMMODATED
AGSE-T016	2	Forward	7,000 lbs 3,175 kg	72" 183 cm	Ball Transfers, Forklift Pockets	CF6, CF34, CFM56, PW2000, PW4000, PW6000, RB211, Trent
	2	Aft	6,000 lbs 2,722 kg			

SHIPPING CONTAINERS

Fully enclosed to shield major modules against contamination & damage!

PART NUMBER: Engine OEM AGSE	COMPARABLE TO IAE PART NUMBER	MODULE ACCOMMODATED	FORKLIFT POCKETS	SHOCK-ABSORBING MOUNTS	REMOVABLE COVER INCLUDES:		
					HOIST RINGS	VIEW PORT	DOCUMENT HOLDER
IAE5R18288 AM-2664	IAE5R18288	High Pressure Compressor	●	●	●	●	●

International Aero Engines approves, qualifies, and recommends AGSE GSE & Tooling for safely handling V2500 engines.

www.agsecorp.com | +1.562.906.9300 | sales@agsecorp.com

©2023 AGSE-Westmont Industries. All rights reserved. R.9.08.23

